

FIN Oak

Engineered Hardwood Flooring



Finoak 14/3mm Herringbone

930 x 150 x 14/3mm (2.79m²/ box)

by
FINfloor™
www.finfloor.co.za


FIN Oak

Engineered Hardwood Flooring

FINOAK 14/3mm PRE FINISHED

Length	950 mm	
Width	150 mm	
Thickness	14 mm	
Top surface	3 mm	
Tolerance	Length	+/- 1.0 mm
	Width	+/- 0.2 mm
	Thickness	+/- 0.2 mm
	Gap	≤ 0.20 mm
	Height difference	≤ 0.15 mm
	Cup warping concave	≤ 0.15%
	Cup warping convex	≤ 0.2%
	Bow warping concave	≤ 0.2%
Bow warping convex	≤ 0.4%	

NATURE GRADE - UNFINISHED



Planks are supplied **unfinished**.
Finishing with our preferred
finishing and oiling partners -



FINOAK 15/4 PRE FINISHED TECHNICAL SPECS


General Construction	3 ply layer
Timber Specification	Oak
Grade	Nature grade
Core & Back	Poplar
Face Finish / Colour	Unfinished
Locking System	Tongue and groove

LAB TEST to STANDARDS

Test	Standard reference	Requirement	Test Data
Moisture Content	EN 13183-1	7±2%	7,90%
Width - permit.deviation	EN13647	±0.2 mm	0 mm
Reaction to fire	EN13501-1		Dfl-S1
Release of formaldehyde	EN717-1	≤0.124 mg/m ³	≤0.009 mg/m ³
Emission of pentachlorophenol	CEN/TR 14823	≤5 ppm	≤5 ppm

Accuracy of colour and wood characteristics: whilst we have made every effort to ensure the colours and wood characteristics displayed on our website are as accurate as possible these images may vary from the actual product.

Nature grade comes with: Natural-looking wood planks where the natural wood-grained pattern is clearly visible. Variation in colour tones and an unlimited number of small knots, up to 20 mm in diameter are permitted and filled. Sapwood, central core, cracks and knots on edge are not allowed. Floorboards made out of Nature grade planks are suitable for any interior.



SAWLFA
SOUTHERN AFRICAN WOOD, LAMINATE
& FLOORING ASSOCIATION
MEMBER