



**FIN***floor*<sup>™</sup>  
*total floor solution*



# Our Ethos



*FINfloor™ - The original market leaders since 1996. Moulding the industry without compromising **OUR** integrity, service, product and **YOUR** environment. Always striving to fulfil the need of the ever-changing demands in design and innovation.*

## ABOUT FINFLOOR

Set up early in 1996 Finfloor started off as a distributor of quality laminate floors. Over the past 20 years we have been successful in building relationships and securing ties with laminate, solid engineered wood and vinyl manufacturers all over the world enabling us to offer our products at the most competitive pricing.

Finfloor has a national distribution base with offices in Durban, Johannesburg and Cape Town, thereby enabling us to store flooring, dispatch flooring and recommend installation teams throughout South Africa.

### 5 Reasons to Choose Finfloor

- We have been in business for over 20 years
- We have outlived our original warranties
- We are a member of SAWLFA
- We offer an international written warranty on our all our product ranges
- We pride ourselves on quality and only supply products that are manufactured to the highest European standards


## OUR ETHOS

**FINfloor™ – the brand that nurtures the growth of future generations using environmentally friendly, FSC approved products. Supporting the sustainability of the planet.**

Natural wood is one of the most adaptable and design friendly finishes that you can have in your home or office, which is why it is our aim to continue to bring you technologically innovative wooden flooring solutions to beautify your living spaces.

In order to do this, our company is committed to the sustainable sourcing of natural wood. Not only do we have a responsibility to our customers, we also have a responsibility to our environment. Correctly sourced wood is one of the most renewable resources known to man.

Inspired by nature, our flooring uses the skill of man to create a product that is environmentally friendly, long lasting and safe for you and your family.



FINOAK 14/3 190MM CLEAR GRADE

**NOTE:** The images in this catalogue are a representation only and colours may vary from actual product. It is recommended to see actual samples before placing an order.





# supreme

laminated flooring

AUTUMN OAK - LOW GLOSS CROSS CUT (ABOVE)

Supreme AC3 laminate flooring can be fitted throughout the home, offering an extremely durable, resistant flooring that is safe for your family. Supreme Laminates are stain resistant, anti-abrasive and fade resistant, ensuring you many years of use.

The flooring can be fitted over most existing floor surfaces, saving you time and money. Supreme Laminate Flooring is easily cleaned using a damp cloth and therefore, more eco-friendly and economical in the long run.

Supreme's unique patterning uses non-solvent water-based inks, which contain no heavy metals, making this product more environmentally friendly. It also has an E1 rated formaldehyde content, and is 100% bio-degradable which means it does not emit any toxic fumes on combustion.

| Technical specifications | Standard | Characteristic/Result        |
|--------------------------|----------|------------------------------|
| Wear resistance          | EN 13329 | AC3/W31                      |
| Stain resistance         | EN 13329 | Rating 5 - no visible change |
| Swelling test            | EN 13329 | Average swelling < 15%       |
| Light fastness           | EN 13329 | Grade 6 - No discolouration  |
| Impact resistance        | EN 13329 | IC1                          |

### PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1216 x 196 X 8mm (1.91sqm/box)

Core: 8mm H.D.F. core with an average board density > 850 kg/m<sup>3</sup>  
 Fit for use grading: AC3/W31 – Moderate commercial / Heavy residential  
 Warranty: 10 years heavy residential / 5 years moderate commercial use



# Supreme laminate AC3/W31 - Square edge



SIBERIAN - WOOD GRAIN



WHEAT - WOOD GRAIN



CLASSIC OAK - WOOD GRAIN




ASPHALT - WOOD GRAIN



CAFE LATTE - EIR



SANDALWOOD - WOOD GRAIN



TUNDRA - WOOD GRAIN



HELENA OAK - WOOD GRAIN



AUTUMN OAK - LOW GLOSS CROSS CUT



KAHLUA OAK - WOOD GRAIN



GRANITE - WOOD GRAIN



LIGHT OAK - MEDIUM EMOSS




# Natura


Line




NIL



CANYON



TREND



VOLGA



TUNA



MERIC

# Natura Line laminate AC4/W32 - V4




Finfloor is the exclusive importer of AGT Natura line laminate. AGT is a well know European brand with more than 60 stores across 5 continents and award-winning manufacturing facilities in Turkey. Since inception AGT have never compromised on their ethical value and quality principles. Quality, trend and development are still among our main objectives for all our customers, employees and business partners.

Quality is a goal that is constantly being renewed and developed according to circumstances and changing market requirements. Along with our vision for today "Promoting Wood Technology" which gives priority to long term strategic thinking and international compliance AGT will continue to be the preferred choice for those who prefer quality, aesthetics and elegance.

Available in 8 unique and natural photo-realistic prints with a painted V-groove, a paraffin waxed tongue and a unilin L2C locking system.

| Technical specifications | Standard   | Characteristic/Result        |
|--------------------------|------------|------------------------------|
| Wear resistance          | EN 13329   | AC4/W32                      |
| Stain resistance         | EN 13329   | Rating 5 - no visable change |
| Swelling test            | EN 13329   | Average swelling < 12%       |
| UV resistance            | EN ISO 105 | Level 6 - No discolouration  |
| Impact resistance        | EN 13329   | IC2                          |


## COMPOSITION



MERIC (ABOVE)



ILGAZ



SELGE

## PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1200 x 191 X 8 mm (1.83sqm/box )

Core: H.D.F. core with waxed tongues and an average board density > 880/890 kg/m<sup>3</sup>  
 Fit for use grading: AC4/W32 – General commercial / Heavy residential  
 Warranty: 15 years heavy residential / 5 years moderate commercial use






# Inovar AC4/W32 laminate



OREGON PINE - SQUARE EDGE - MATT WOOD GRAIN



BLANC MAPLE - SQUARE EDGE - MATT WOOD GRAIN



UMGENI - SQUARE EDGE - MATT WOOD GRAIN




ATHENS OAK - V4 - EIR



CALEDON - V4 - MATT WOOD GRAIN



BUFFALO - V4 - EIR



HONEY OAK - V4 - MEDIUM EMOSS




COFFEE TREE - V4 - HAND SCRAPPED EIR



ROYAL OAK - V4 - EIR



GREY BARK - V4 - CROSS CUTTING



AFRICAN WALNUT - V4 - HAND SCRAPPED EIR



TUGELA - V4 - EIR





ATHENS OAK - V4 - EIR (ABOVE)

Inovar Laminates offer the latest in colour and design, in line with current and contemporary decor trends. Inovar Floor complies to the highest European EN performance standards, using the latest in German technology. Rigorous quality testing ensures exceptional quality is maintained throughout the product. Inovar flooring carries a 25-year product domestic use warranty.

Due to its wax impregnated core and waxed edges on the locking system, Inovar is highly water resistant and has one of the lowest swell rates available in the South African market place.

Inovar is a healthy choice for your family. Its completely sealed, non-porous surface does not contribute to the growth of micro-organisms, dust-mites and promotes an environment free of allergens - especially for children.

| Technical specifications | Standard | Characteristic/Result        |
|--------------------------|----------|------------------------------|
| Wear resistance          | EN 13329 | AC4/W32                      |
| Stain resistance         | EN 13329 | Rating 5 - no visible change |
| Swelling test            | EN 13329 | Average swelling < 8%        |
| Light fastness           | EN 13329 | Grade 6 - No discolouration  |
| Impact resistance        | EN 13329 | IC2                          |

**PRODUCT INFORMATION AND WARRANTY**

Plank Dimensions: 1216 x 196 x 8mm (1.91sqm/box)


Core: Water-resistant H.D.F. core with an average board density > 880/890 kg/m<sup>3</sup>  
 Fit for use grading: AC4/W32 – General commercial / Heavy residential  
 Warranty: 25 years heavy residential / 5 years moderate commercial use






# black forest

laminare collection



BROWN STONE - V4 - EIR (ABOVE)



GLACIER - V4 - EIR



SUN BLEACHED OAK - V4 - EIR



WHITE ELDER - V4 - EIR



NORDIC GREY - V4 - MATT WOOD GRAIN



# Black Forest XXL laminate AC4/W32 - V4

In line with latest European trends the Black Forest laminate flooring collection is manufactured in a large oversized plank providing a more natural appearance and experience. The dense Dare global HDF (High density Conifer fibreboard) core is impregnated with a wax treatment making these planks more resistant to moisture and water damage. The 12mm thickness makes this floor quiet underfoot; with great sound absorption properties Black forest is the ideal choice for highly trafficked commercial environments.

Black forest collection is scratch, stain and fade resistance. With a patented Valinge fold down / drop lock system the flooring is easy to install and the high joint strength decreases the risk of joints opening or squeaking.

Available in a variety of finishes with obvious grains and exquisite surface designs.

| Technical specifications | Standard | Characteristic/Result        |
|--------------------------|----------|------------------------------|
| Wear resistance          | EN 13329 | AC4/W32                      |
| Stain resistance         | EN 13329 | Rating 5 - no visible change |
| Swelling test            | EN 13329 | Average swelling < 8%        |
| Light fastness           | EN 13329 | Grade 6 - No discolouration  |
| Impact resistance        | EN 13329 | IC2                          |

## PRODUCT INFORMATION AND WARRANTY


Plank Dimensions: 2200 x 239 X 12mm (3.15sqm/box)

Core: Water-resistant Dare Global Core with average board density > 880/890 kg/m<sup>3</sup>

Fit for use grading: AC4/W32 – General commercial / Heavy residential

Warranty: 25 years heavy residential / 5 years moderate commercial use


## COMPOSITION




MAPLEWOOD MIST - V4 - EIR



OAKWOOD MANOR - V4 - EIR



WOODLAND OAK - V4 - MATT WOOD GRAIN



SILVER ELM - V4 - EIR



GREY FROST - V4 - CROSS CUT



BROWN STONE - V4 - EIR

# Authentic Herringbone laminate AC4/W32 - V4

Authentic herringbone laminate offers all the design options of a solid wood floor, with all the benefits of laminate. Laminates are easy to install, hardy, anti-stain, scratch and impact resistance. Our herringbone laminate flooring is 12mm thick making it quieter underfoot with a painted v-groove and realistic photo prints that look like a solid wood. The true to life wood grain is an exceptional replica of the real wood, without having the environmental impact that real wood is criticised for.

As with all Finfloor laminates, our herringbone laminate is in line with our green policy, exhibiting superior environmental compatibility. The raw materials used in this product are sourced sustainably and biodegradable at the end of the product's long life. It is also anti-allergenic owing to its non-porous nature which does not allow the breeding of dust mites or micro-organisms.


| Technical specifications | Standard | Characteristic/Result        |
|--------------------------|----------|------------------------------|
| Wear resistance          | EN 13329 | AC4/W32                      |
| Stain resistance         | EN 13329 | Rating 5 - no visible change |
| Swelling test            | EN 13329 | Average swelling < 12%       |
| Light fastness           | EN 13329 | Grade 6 - No discolouration  |
| Impact resistance        | EN 13329 | IC2                          |

## PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 606 x 101 X 12mm (2.20sqm/box )

Core: 12mm H.D.F. core with an average board density > 880 kg/m<sup>3</sup>  
 Fit for use grading: AC4/W32 – General commercial / Heavy residential  
 Warranty: 25 years heavy residential / 5 years moderate commercial use

## COMPOSITION




WHITE - V4 - MATT WOOD GRAIN




GREY WASH - V4 - EIR



BLEACHED BEECH - V4 - MATT WOOD GRAIN



OAK - V4 - EIR



WALNUT - V4 - MATT WOOD GRAIN



BLACK - V4 - MATT WOOD GRAIN









OAK - V4 - EIR (ABOVE)

Authentic Herringbone - Herringbone laying patterns



Authentic Herringbone - Basket weave laying patterns



# DIAMOND CORE SPC

Stone plastic composite, stable vinyl flooring

Diamond Core SPC flooring is the new generation of luxury vinyl tiles, working similarly to laminate flooring as a floating system independent of the sub-floor which uses a Unilin click system to ensure the stability of the floor unit. Since the floor remains separate to the sub-floor, it can be installed on many different types of floor bases, for example, concrete or ceramic flooring.

The basic material is a stone-plastic composite, making SPC flooring incredibly strong, the product is formaldehyde free, making for a completely safe flooring solution for both residential and public environments.

SPC Rigid vinyl flooring is 100% water-proof and at least 50% better than traditional luxury vinyl tiles in physical performance owing to improvements in the dimensional stability, which is now four-times better. The new product is also much more stable under extreme temperatures between -3 - 50 °C.

| Technical specifications | EN Norms                   | Result   |
|--------------------------|----------------------------|----------|
| Wear resistance          | EN 660-2:1999/ EN 549-2011 | group T  |
| Slip resistance          | EN 1404+AC                 | Class DS |
| Formaldehyde emissions   | EN 1404:2004 + AC:2006     | Class E1 |
| Fire classification      | EN 13501-1 EN1404 + AC     | Bf1-S1   |

## PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1500x 228 X 6.5mm (2.052sqm/box)

Core: Rigid SPC core, with 1.5mm IXPE underlayment attached to the back  
Wear layer: 0.5mm

Warranty: 30 years heavy residential / 10 years moderate commercial grade





# Diamond Core SPC vinyl flooring



AGATE- ANTIQUE WOOD TEXTURE - BEVELLED EDGE



ALABASTER - ANTIQUE WOOD TEXTURE - BEVELLED EDGE



BLUE QUARTZ - ANTIQUE WOOD TEXTURE - BEVELLED EDGE




COLORADO TOPAZ - ANTIQUE WOOD TEXTURE - BEVELLED EDGE



SUNSTONE - ANTIQUE WOOD TEXTURE - BEVELLED EDGE



MATRIX OPAL - ANTIQUE WOOD TEXTURE - BEVELLED EDGE



MALACHITE - ANTIQUE WOOD TEXTURE - BEVELLED EDGE




BLACK DIAMOND - ANTIQUE WOOD TEXTURE - BEVELLED EDGE

## COMPOSITION



# FinOak wooden flooring




OAK HERRINGBONE

## WOOD GRADING

Each tree is unique and different parts of the same tree produce different surface textures and appearances. We import 2 grades of flooring Clear and Rustic.

The Clear grade is selected from the fine grain wood found around the center core of the log where there are no knots, each tree produces fewer clear grade planks and is therefore more expensive. While the Rustic grade is manufactured from the outer parts of the core where branches attach and is full of character and visibly more knotty.



OAK CLEAR  
FEW, LITTLE KNOTS. LIGHT VARIATION IN COLOUR & STRUCTURE




OAK RUSTIC  
WOOD WITH KNOTS. VARIATION IN COLOUR & STRUCTURE

## WOOD FINISH

**Smooth** planks are finished with a fine sand paper that closes the pores and grain. Smooth finishes are inclined to show dents and scratches. Best suited for use in sitting and formal dining areas with low foot traffic.

**Brushed** planks are rough wire brushed with long strokes to accentuate the grain of the wood and leave the grain and planks open to absorb the surface treatment and stain.



BRAZILLIAN CHERRY (JATOBA)



WALNUT

Nothing can compare to the indulgent feeling of solid wood floors underneath your bare feet. For decades, solid wood has been considered a luxury item to install in the home or office. This is due to its timeless elegance that are not dictated by fading fashion trends. A quality solid wooden flooring will last you for many years.

Oak is one of the most popular species for hardwood flooring and often thought of as the traditional choice. Solid Oak is a very hard, heavy, open-grained wood that grows from deciduous and evergreen trees in Europe. Oak has prominent rings and large pores that allow it to stain well in any color.

It's no secret that larger planks make your room look bigger, more elegant and expensive. FINOAK comes in a variety of sizes, thicknesses & surface finishes with a 25 year manufacturer's warranty.

Finished in smooth or wire brushed which gives floors that aged, distressed look. These surface finishes not only give the wood a unique style but also hide new scratches, dirt and dust, making them a popular choice for families and homeowners with pets.



# FIN Oak

Engineered Hardwood Flooring

FINOAK 14/3 190MM CLEAR GRADE

## FOREST STEWARDSHIP COUNCIL



The mark of responsible forestry

We choose to support suppliers that respect the environment, as well as the animals and people living there which is why we insist on FSC® certified products. We work diligently with all of our suppliers to minimize our environmental impact.

The veneer uses less of the precious species and therefore does not impact negatively on the environment. You can now get the genuine wood experience, without harming natural forests. Our flooring is totally biodegradable, and its low emission value promises a greener future for you and our future generations.

## VALINGE LOCKING SYSTEM


Välinge is a globally recognized locking system. With Välinge 5G, floor installation has never been easier. The 5G single action installation method secures installation with a visible and audible locking function.





**AVAILABLE PLANK SIZES FINISHES AND KEY**

-  Clear smooth
-  Rustic smooth
-  Rustic brushed
-  Walnut
-  Jatoba



**NOTE:**  
As wood is a natural product and no 2 planks are the same. These images are a representation only and colours may vary from actual product. It is recommended to see actual samples before placing an order.




# FinOak wooden flooring




FINOAK 15/4 190MM OAK RUSTIC WITH RMC INVISIBLE MIX

## HDF CORE COMPOSITION



## MULTI-PLY CORE COMPOSITION



## AVAILABLE PLANK SIZES

| Product            | Plank size length x width x height | Top face      | Core             | Bottom     | Grade  | Finish  | Installation     | Warranty | FSC certified |
|--------------------|------------------------------------|---------------|------------------|------------|--------|---------|------------------|----------|---------------|
| FINOak 190         | 190 x 1210 x 10/2mm                | 2mm Oak       | 7mm - HDF Core   | 1mm Poplar | Rustic | Brushed | Välinge click 2G | 25 years | 100%          |
| FINOak 190         | 190 x 1860 x 14/3mm                | 3mm Oak       | 10mm - Multi-ply | 1mm Poplar | Clear  | Smooth  | Välinge click 5G | 25 years | 100%          |
| FINOak 190         | 190 x 1860 x 14/3mm                | 3mm Oak       | 10mm - Multi-ply | 1mm Poplar | Rustic | Smooth  | Välinge click 5G | 25 years | 100%          |
| FINOak 190         | 190 x 1860 x 14/3mm                | 3mm Oak       | 10mm - Multi-ply | 1mm Poplar | Rustic | Brushed | Välinge click 5G | 25 years | 100%          |
| FINOak 220         | 220 x 2200 x 14/3mm                | 3mm Oak       | 10mm - Multi-ply | 1mm Poplar | Rustic | Brushed | Välinge click 5G | 25 years | 100%          |
| FINOAK Herringbone | 120 x 960 x 15/3mm                 | 3mm White Oak | 11mm - Multi-ply | 1mm Poplar | Rustic | Smooth  | Tongue & groove  | 25 years | 100%          |
| FINOak 190         | 190 x 1860 x 15/4mm                | 4mm Oak       | 10mm - Multi-ply | 1mm Poplar | Rustic | Smooth  | Välinge click 5G | 25 years | 100%          |
| FINOak Walnut      | 190 x 1860 x 15/4mm                | 4mm Walnut    | 10mm - Multi-ply | 1mm Poplar | Rustic | Smooth  | Välinge click 5G | 25 years | 100%          |
| FINOak Jatoba      | 190 x 1860 x 15/4mm                | 4mm Jatoba    | 10mm - Multi-ply | 1mm Poplar | Rustic | Smooth  | Välinge click 5G | 25 years | 100%          |
| FINOak 240         | 240 x 2200 x 15/4mm                | 4mm Oak       | 10mm - Multi-ply | 1mm Poplar | Rustic | Smooth  | Välinge click 5G | 25 years | 100%          |
| FINOak 300         | 300 x 2200 x 15/4mm                | 4mm Oak       | 10mm - Multi-ply | 1mm Poplar | Rustic | Smooth  | Välinge click 5G | 25 years | 100%          |

**Head Office JOHANNESBURG**

Unit 2b  
11 Olympia Street  
Sandton

**Head Office DURBAN**

14 Cassiafield Grove  
Springfield Park  
Durban

**0860 346 356 | [info@finfloor.co.za](mailto:info@finfloor.co.za) | [www.finfloor.co.za](http://www.finfloor.co.za)**