



FIN*floor*[™]
total floor solution

Rubio
MONOCOAT

FinOak wooden flooring



OAK HERRINGBONE

WOOD GRADING

Each tree is unique and different parts of the same tree produce different surface textures and appearances. We import 2 grades of flooring Clear and Rustic.

The Clear grade is selected from the fine grain wood found around the center core of the log where there are no knots, each tree produces fewer clear grade planks and is therefore more expensive. While the Rustic grade is manufactured from the outer parts of the core where branches attach and is full of character and visibly more knotty.



OAK CLEAR
FEW, LITTLE KNOTS. LIGHT VARIATION IN COLOUR & STRUCTURE



OAK RUSTIC
WOOD WITH KNOTS. VARIATION IN COLOUR & STRUCTURE

WOOD FINISH

Smooth planks are finished with a fine sand paper that closes the pores and grain. Smooth finishes are inclined to show dents and scratches. Best suited for use in sitting and formal dining areas with low foot traffic.

Brushed planks are rough wire brushed with long strokes to accentuate the grain of the wood and leave the grain and planks open to absorb the surface treatment and stain.



BRAZILLIAN CHERRY (JATOBA)



WALNUT

Nothing can compare to the indulgent feeling of solid wood floors underneath your bare feet. For decades, solid wood has been considered a luxury item to install in the home or office. This is due to its timeless elegance that are not dictated by fading fashion trends. A quality solid wooden flooring will last you for many years.


Oak is one of the most popular species for hardwood flooring and often thought of as the traditional choice. Solid Oak is a very hard, heavy, open-grained wood that grows from deciduous and evergreen trees in Europe. Oak has prominent rings and large pores that allow it to stain well in any color.

It's no secret that larger planks make your room look bigger, more elegant and expensive. FINOAK comes in a variety of sizes, thicknesses & surface finishes with a 25 year manufacturer's warranty.


Finished in smooth or wire brushed which gives floors that aged, distressed look. These surface finishes not only give the wood a unique style but also hide new scratches, dirt and dust, making them a popular choice for families and homeowners with pets.

FinOak wooden flooring

HDF CORE COMPOSITION



MULTI-PLY CORE COMPOSITION




AVAILABLE PLANK SIZES

| Product | Plank size length x width x height | Top face | Core | Bottom | Grade | Finish | Installation | Warranty |
|--------------------|------------------------------------|---------------|------------------|--------------------|--------|---------|------------------|----------|
| FINOak 192 | 192 x 1210 x 10/2mm | 2mm Oak | 7mm - HDF Core | 1mm backing veneer | Rustic | Brushed | Välinge click 2G | 25 years |
| FINOak 190 | 190 x 1860 x 14/3mm | 3mm Oak | 10mm - Multi-ply | 1mm backing veneer | Clear | Smooth | Välinge click 5G | 25 years |
| FINOak 190 | 190 x 1860 x 14/3mm | 3mm Oak | 10mm - Multi-ply | 1mm backing veneer | Rustic | Smooth | Välinge click 5G | 25 years |
| FINOak 190 | 190 x 1860 x 14/3mm | 3mm Oak | 10mm - Multi-ply | 1mm backing veneer | Rustic | Brushed | Välinge click 5G | 25 years |
| FINOak 220 | 220 x 2200 x 14/3mm | 3mm Oak | 10mm - Multi-ply | 1mm backing veneer | Rustic | Brushed | Välinge click 5G | 25 years |
| FINOAK Herringbone | 120 x 960 x 15/3mm | 3mm White Oak | 11mm - Multi-ply | 1mm backing veneer | Rustic | Smooth | Tongue & groove | 25 years |
| FINOak 190 | 190 x 1860 x 15/4mm | 4mm Oak | 10mm - Multi-ply | 1mm backing veneer | Rustic | Smooth | Välinge click 5G | 25 years |
| FINOak Walnut | 190 x 1860 x 15/4mm | 4mm Walnut | 10mm - Multi-ply | 1mm backing veneer | Rustic | Smooth | Välinge click 5G | 25 years |
| FINOak Jatoba | 190 x 1860 x 15/4mm | 4mm Jatoba | 10mm - Multi-ply | 1mm backing veneer | Rustic | Smooth | Välinge click 5G | 25 years |
| FINOak 240 | 240 x 2200 x 15/4mm | 4mm Oak | 10mm - Multi-ply | 1mm backing veneer | Rustic | Smooth | Välinge click 5G | 25 years |
| FINOak 300 | 300 x 2200 x 15/4mm | 4mm Oak | 10mm - Multi-ply | 1mm backing veneer | Rustic | Smooth | Välinge click 5G | 25 years |

AVAILABLE PLANK SIZES FINISHES AND KEY

- Clear smooth
- Rustic smooth
- Rustic brushed
- Walnut
- Jatoba



NOTE:

As wood is a natural product and no 2 planks are the same. These images are a representation only and colours may vary from actual product. It is recommended to see actual samples before placing an order.

Rubio Monocoat Oil




RUBIO MONOCOAT OIL PLUS 2C

Exceptional projects deserve a durable finish, whereby the decorative aspect should not be overlooked. An easy application method and quick workability are also important, especially with projects where the execution has to be done under time pressure. Rubio Monocoat Oil Plus 2C has all the assets.



RUBIO MONOCOAT OIL PLUS 2C - 2018 TREND COLOURS



- Single layer application
- 40 Standard interior colours
- Enhances the natural look and feel of the wood
- Easy to maintain and repair
- No overlaps or starting marks
- Average spread rate of 50 m² / litre
- Can be applied to all wood types
- Durable protection
- Ideal for all wooden surfaces



RMC is the first in the wood treatment sector globally, to be awarded the Eurofins indoor air comfort gold label certification.

Rubio[®]
MONOCOAT

FIN Oak

Engineered Hardwood Flooring

FINOAK 14/3 190MM CLEAR GRADE

RUBIO MONOCOAT AFTERCARE PRODUCTS



RMC Soap

For regular cleaning of oiled surfaces. Removes all dirt and grease thoroughly, without leaving a film.



RMC Tannin Remover

Removes black / tannin stains e.g. rings/stains from cans, flower pots, after water damage on parquet flooring.



RMC Limespot Remover

Is used for the removal of stains and other alkaline stains, such as urine, fertilizers, rust stains, radiator water and white rings.



RMC Surface Care

Handy ready to use version of RMC soap. Suitable for cleaning of small floor surfaces and local spots on wooden floors and coffee tables.

VALINGE LOCKING SYSTEM

Välinge is a globally recognized locking system. With Välinge 5G, floor installation has never been easier. The 5G single action installation method secures installation with a visible and audible locking function.



FINFLOOR
Head Office JOHANNESBURG
Unit 2b
11 Olympia Street
Sandton

Head Office DURBAN
14 Cassiafield Grove
Springfield Park
Durban

0860 346 356 | info@finfloor.co.za | www.finfloor.co.za

RUBIO MONOCOAT
3 Indianapolis Road, Kyalami Business Park
Johannesburg, South Africa

+27 11 466 0273 | info@rubimonocoat.co.za | www.rubimonocoat.co.za