



FIN*floor*[™]
total floor solution

CONTENTS



COVER IMAGE: LUMBERJACK OAK PARADOR LAMINATE FLOOR



FINfloor SA is a member of SAWLFA and the products within this catalogue conform to SAWLFA prescribed standards.

NOTE: The images in this catalogue are a representation only and colours may vary from actual product. It is recommended to see actual samples before placing an order.

Engineered Oak flooring	pg 4 - 15
FINOak Atelier Pre-Finished	pg 6-11
FINOak Unfinished	pg 12-13
Jax Oleum Wood Stains	pg 14-16
Vinyl Flooring	pg 17 - 29
Glue down - Aurora II	pg 18-19
Glue down - Aurora II Herringbone	pg 20- 21
Glue down - Galaxy II	pg 22- 23
FINCrete	pg 24- 25
Sapphire SPC Wide	pg 26- 27
Diamond Core SPC +	pg 28- 29
Laminate flooring	pg 30 - 43
AGT - Bella Neo	pg 32- 33
AGT - Natura Line	pg 34-35
AGT - Armonia Wide	pg 36-37
Parador	pg 38- 39
Black Forest +	pg 40- 41
Authentic Herringbone	pg 42-43

Icon Key



Four sided, painted V-groove



Square edge - for a seamless floor with no visible joins



Four sided bevelled edge



Four sided painted micro bevelled edge



CMP - For engineered wood flooring we are able to stain the solid Oak profiles to match the floor



CCP - For vinyl and laminate flooring we have a standard selection of recommended wrapped aluminium or MDF Colour complementing profiles available

OAK FLOORING

OAK WOOD FLOORING

Crafted from premium European Oak, FINOak Atelier combines timeless natural beauty with exceptional durability and performance. Available in various sizes, thicknesses, and finishes, each plank showcases the unique grain patterns, character, and warmth that only real wood can provide.

Our pre-finished range comes standard with a lightly brushed finish and a UV-cured lacquer finish applied through a multi-stage UV tunnel process, enhancing the natural texture of the wood while providing long-lasting protection. The unfinished range can be customised with a variety of treatments, staining, and finishing options to achieve a contemporary, aged, or weathered look.

FINOak Atelier delivers lasting performance, timeless appeal, and exceptional value. Regardless of the range, size, thickness, or finish selected, every FINOak Atelier floor is backed by a 25-year residential warranty, reflecting our commitment to quality, craftsmanship, and long-term performance.

5 Benefits of Engineered Oak Wood Flooring:



3-Layer Construction for Superior Stability: Built with a premium 3-layer construction comprising a European oak wear layer, poplar core, and poplar backing, providing outstanding dimensional stability and helping to minimise warping, shrinking, and expansion.

Premium European Sawn Oak Wear Layer: Crafted from genuine 3mm and 4mm oak wear layer. Each plank showcases authentic grain patterns, natural character, and timeless beauty, bringing warmth and sophistication to any interior.

Enhanced Moisture Resistance: The engineered construction offers improved resistance to moisture and humidity compared to solid wood, making it suitable for a wider range of environments and climate conditions.

Flexible Installation Options: Available for floating or glue-down installation, FINOak Atelier provides versatility across a variety of residential and commercial applications.

Long-Lasting & Refinishable: Featuring a genuine oak wear layer, FINOak Atelier can be sanded and refinished over time, helping to restore its appearance and extend the lifespan of your floor for years to come.



PROJECT SHOWCASE


A showcase of FINOak engineered hardwood flooring, expertly installed throughout this stunning upmarket home bringing timeless elegance, warmth, and natural character to every space.



LIMESTONE (ABOVE)

14/3MM PRE-FINISHED OAK FLOORING



CINDER - 

 CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 14/3 x 190 x 1900mm
Top layer: 3mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Välinge 5G
Backing: 1mm Poplar timber
Planks per box: 8 planks

Factory finishing process
Smoked Oak, UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



LIMESTONE - 

 CMP - Custom stain solid Oak

Plank Dimensions: 14/3 x 190 x 1900mm
Top layer: 3mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Välinge 5G
Backing: 1mm Poplar timber
Planks per box: 8 planks

Factory finishing process
Invisible UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



OAT - 

 CMP - Custom stain solid Oak

Plank Dimensions: 14/3 x 190 x 1900mm
Top layer: 3mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Välinge 5G
Backing: 1mm Poplar timber
Planks per box: 8 planks

Factory finishing process
Smoked Oak, UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty





CLAY (ABOVE)

15/4MM PRE-FINISHED OAK FLOORING



DUNE - 

 CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 15/4 x 190 x 1900mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Vålinge 5G
Backing: 1mm Poplar timber
Packaged: 8 planks

Factory finishing process
Smoked Oak, Invisible UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat



Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



CLAY - 

 CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 190 x 1900mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Vålinge 5G
Backing: 1mm Poplar timber
Packaged: 8 planks

Factory finishing process
Smoked Oak, Natural UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat



Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



SHALE - 

 CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 190 x 1900mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Vålinge 5G
Backing: 1mm Poplar timber
Packaged: 8 planks

Factory finishing process
Invisible UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat



Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



DRIFT (ABOVE)

15/4MM PRE-FINISHED OAK FLOORING



HUSK - 

 CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 15/4 x 260 x 2200mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Välinge 5G
Backing: 1mm Poplar timber
Planks per box: 6 planks

Factory Finishing process
Smoked Oak, UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 3.432 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



CHAR - 

 CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 260 x 2200mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Välinge 5G
Backing: 1mm Poplar timber
Planks per box: 6 planks

Factory Finishing process
Smoked Oak, Natural UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 3.432 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



DRIFT - 

 CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 260 x 2200mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Välinge 5G
Backing: 1mm Poplar timber
Planks per box: 6 planks

Factory Finishing process
Invisible UV Lacquer, Brushed
V-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 3.432 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty





FINOAK UNFINISHED PLANK OPTIONS



FINOAK UNFINISHED 190 Rustic

Available Plank Dimensions:

15/4 x 190 x 1900mm

Packaged: 8 Planks

Top Face: 4mm Unfinished European Sawn oak

Core: 10mm 3-ply Poplar core with a 1mm Poplar back

Coverage: 2.888 m²

Expansion gap: 12-15mm is required

Installation: Floating or Glue Down

Warranty: 25 years limited manufacturer's warranty

UNFINISHED OAK 190 - 

 CMP - Custom stain solid Oak



FINOAK UNFINISHED 260 Rustic

Available Plank Dimensions:

15/4 x 260 x 2200mm

Packaged: 6 planks

Top Face: 4mm Unfinished European Sawn oak

Core: 10mm 3-ply Poplar core with a 1mm Poplar back

Coverage: 3.432 m²


Expansion gap: 12-15mm is required

Installation: Floating or Glue Down

Warranty: 25 years limited manufacturer's warranty

UNFINISHED OAK 260 - 

 CMP - Custom stain solid Oak



FINOAK HERRINGBONE Rustic

Available Plank Dimensions:

15/4 x 125 x 600mm

Packaged: 16 Planks

Top Face: 4mm lightly sanded Unfinished European Sawn oak

Core: 10mm Poplar

Coverage: 1.20 m²

Expansion gap: 5-10mm

Installation: Glue Down

Warranty: 25 years limited manufacturer's warranty

UNFINISHED HERRINGBONE OAK RUSTIC - 

 CMP - Custom stain solid Oak

NOTE!

The unfinished range can be customised with optional surface treatments, including wetting, pre-colouring, brushing, sanding, and buffing (available at an additional charge).

JAX OLEUM OIL BASED WOOD STAIN - SELECT YOUR COLOUR



Single Coat Oil-Based Wood Stain

Jax Oleum is an incredibly effective and durable single coat, oil based wood stain that protects, nourishes and colours wood in one very easy application.

It can be applied to any type of uncoated wood, used for both interior or exterior applications and works successfully with other over coat brands.

Proudly made in South Africa, Jax Oleum is readily available and has low VOC emissions. With over 80 colours to choose from the possibilities are endless. These are some of our favorite trending colours.



Extra Extra White



Extra White



Bone



Natural



Light Grey



Grey



Wheat



Dark Wheat



Sand



Mist Grey



Corn Silk



Java



Storm Grey



Studio Grey



Sofa Grey



Clear



Cherry



Gun Metal



Dark Blue Grey



Sofa Storm




Ebony



Mahogany




Extra Dark Mahogany



Brown



Black



Extra Extra Black



2K Sealer



NOTE! Although it will increase the final cost, we recommend you use a 2K sealer with any oiled finish

Jax Oleum[®]

Single Coat Oil-Based Wood Stain



FINOAK 260 UNFINISHED WITH
JAX OLEUM CUSTARD STAIN + 2K SEALER (ABOVE)

VINYL FLOORING

VINYL FLOORING

Durable, water-resistant, and easy to maintain, vinyl flooring is ideal for both residential and commercial spaces. Manufactured using a hot-pressed process and 100% virgin materials, FINfloor vinyl flooring offers superior stability, performance, and comfort underfoot, with a wide range of authentic wood and contemporary designs to suit any interior.

Top 5 Reasons to Choose Vinyl Flooring

Exceptional Durability: Features a dual-protection system that pairs a robust wear layer with a factory-applied double coat of SUPER UV coating, providing outstanding resistance to scratches, stains, and everyday wear.

100% Topical Waterproof: Designed to handle spills and everyday moisture with ease, making it an ideal flooring solution for kitchens, bathrooms, living areas, and busy family homes.

Low Maintenance: Easy to clean and maintain, requiring only regular sweeping and occasional damp mopping to keep floors looking their best.

Realistic Wood & Stone Designs: Advanced embossing and high-definition décor layers replicate the authentic look and texture of natural wood or stone while offering the practical benefits of vinyl flooring.

Comfort & Quiet Underfoot: Provides a warmer, quieter, and more comfortable walking surface than many hard flooring alternatives, making it ideal for both residential and commercial spaces.



PROJECT SHOWCASE

Seamless installation of our Galaxy II - Orion Glue Down Vinyl flooring flowing beautifully through the open-plan living and dining areas, up the staircase, and into the first-floor bedrooms





AURORA II

Glue down LVT

 **Super UV Protect Wear Layer**
 With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1220 x 228.6 x 2mm
 Packaged: 5.58sqm - 20 pieces / box
 Edge: Micro Bevel

Coverage: Glue down installation - seamless floor application
 Hot-Pressed LVT (Made from virgin materials)
 Wear Layer: 0.3mm UV resistant wear layer
 Warranty: 20 years heavy domestic / 5 years light commercial grade

Technical specifications	EN Norms	Result
Wear resistance	EN660-1/2	Group T
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1




AURORA II GLUE DOWN VINYL



LYANNA (ABOVE)



DIONE - WOOD EMOSS - 

 CCP - Beach Sand Oak




JULIET - WOOD EMOSS - 

 CCP - Sand Oak / Sandstone



CELESTE - WOOD EMOSS - 

 CCP - Mist Oak / Beach Sand Oak



SERENA - WOOD EMOSS - 

 CCP - Chestnut



SELENE - WOOD EMOSS - 

 CCP - Wheat



LYANNA - WOOD EMOSS - 

 CCP - Washed Oak

INTERNATIONAL CERTIFICATION



EN ISO 10582 - Fit for use classification



Heavy Domestic
(Class 23)

Light Commercial
(Class 31)



AURORA II

herringbone Glue down LVT


 **Super UV Protect Wear Layer**
 With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 590 x 118 x 2.0mm
 Packaged: 2.646 sqm - 38 pieces / box
 Edge: Micro Bevel

Coverage: Glue down installation - seamless floor application
 Hot-Pressed LVT (Made from virgin materials)
 Wear Layer: 0.3mm UV resistant wear layer
 Warranty: 20 years heavy domestic / 5 years light commercial grade

Technical specifications	EN Norms	Result
Wear resistance	EN660-1/2	Group T
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1





CELESTE (ABOVE)

AURORA II HERRINGBONE GLUE DOWN VINYL



CELESTE - WOOD EMOSS - 

 CCP - Mist Oak / Beach Sand Oak



ALINA - WOOD EMOSS - 

 CCP - Washed Oak / Beach Sand Oak



SELENE - WOOD EMOSS - 

 CCP - Wheat

INTERNATIONAL CERTIFICATION



EN ISO 10582 - Fit for use classification



Heavy Domestic
(Class 23)

Light Commercial
(Class 31)



GALAXY II

Glue down LVT

 **Super UV Protect Wear Layer**
 With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1526 x 230 x 2.5mm

Packaged: 4.914sqm - 14 pieces / box

Edge: Painted Bevel

Coverage: Glue down installation - seamless floor application

Hot-Pressed LVT (Made from virgin materials)

Wear Layer: 0.5mm Super UV wear layer

Warranty: Lifetime domestic / 10 years general commercial grade

Technical specifications	EN Norms	Result
Wear resistance	EN660-1/2	Group T
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1





ORION (ABOVE)

GALAXY II GLUE DOWN VINYL



SAURON - WOOD EMBOSS - 

 CCP - Mist Oak




BODE - EIR - 

 CCP - Mist Oak / Washed Oak



MALIN - WOOD EMBOSS - 

 CCP - Wheat / Mist Oak



ORION - WOOD EMBOSS - 

 CCP - Mist Oak



ALTAIR - EIR - 

 CCP - Meva Oak



ZEPHYRA - WOOD EMBOSS - 

 CCP - Washed Oak

INTERNATIONAL CERTIFICATION



EN ISO 10582 - Fit for use classification



Heavy Commercial
(Class 33)




FINCRETE

 **CEMENTITIOUS GLUE DOWN**
 With a SUPER UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 908.4 x 451.2 x 2.5mm
 Packaged: 3.279 sqm - 8 pieces / box
 Edge: Micro Bevel
 Coverage: Glue down installation - seamless floor application
 Hot-Pressed LVT (Made from virgin materials)
 Wear Layer: 0.55mm Super UV wear layer
 Warranty: 30 years heavy domestic / 10 years heavy commercial grade


Technical specifications	EN Norms	Result
Scratch appearance assessment	EN14565:2004(E)	≥ 20N Discontinuous scratch marks
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1





FLINT (ABOVE)

FINCRETE GLUE DOWN VINYL



ASH - CORAL FINISH - 

 CCP - Silver



SMOKE - CORAL FINISH - 

 CCP - Silver



FLINT - CORAL FINISH - 

 CCP - Silver

INTERNATIONAL CERTIFICATION



EN ISO 10582 - Fit for use classification



Heavy Commercial
(Class 33)



Sapphire SPC WIDE Board

GARNET (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1230 x 228 x 5.5mm

Packaged: 2.24sqm - 8 pieces / box


Coverage: 10 x 15 lin.m in length / width

Expansion gap: 10mm

Core: Rigid SPC core, with 1mm IXPE underlay attached to the back

Wear Layer: 0.3mm Super UV wear layer

Warranty: 20 years heavy domestic / 5 years moderate commercial grade

 **Super UV Protect Wear Layer**
With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

Technical specifications	EN Norms	Result
Wear resistance	EN 660-2:1999/ EN 549-2011	Group T
Slip resistance	EN 1404+AC	Class DS
Formaldehyde emissions	EN 1404:2004 + AC:2006	Class E1
Fire classification	EN 13501-1 EN1404 + AC	Bf1-S1



SAPPHIRE SPC WIDE



JASPER - EIR - 

 CCP - Mist Oak/ Washed Oak



MORGANITE - ANTIQUE WOOD TEXTURE - 

 CCP - Mist Oak



GARNET - ANTIQUE WOOD TEXTURE - 

 CCP - Mist Oak



PYRITE - EIR - 

 CCP - Meva Oak



CITRINE - ANTIQUE WOOD TEXTURE - 

 CCP - Mist Oak



JONQUIL - ANTIQUE WOOD TEXTURE -   CCP - Beach Sand Oak / Wheat



PACIFIC OPAL - ANTIQUE WOOD TEXTURE - 

 CCP - Silver



TIGERS EYE - ANTIQUE WOOD TEXTURE - 

 CCP - Sand Oak / Bronze

INTERNATIONAL CERTIFICATION





DIAMOND CORE SPC+

ONYX (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1500 x 228 x 6.5mm

Packaged: 2.052sqm - 6 pieces / box

Coverage: 15 x 15 lin.m in length / width

Expansion gap: 10mm

Core: Rigid SPC core, with 1.5mm IXPE underlay attached to the back

Wear Layer: 0.5mm Super UV wear layer

Warranty: 30 years heavy domestic / 10 years general commercial grade

 **Super UV Protect Wear Layer**
With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

Technical specifications	EN Norms	Result
Wear resistance	EN 660-2	Group T
Slip resistance	EN 1404	Class DS
Formaldehyde emissions	EN 14041	Class E1
Fire classification	EN 13501-1 EN1404	Bf1-S1



DIAMOND CORE SPC+



ALABASTER - ANTIQUE WOOD - 

 CCP - Sand Oak / Silver



CUPRITE - RANDOM EIR - 

 CCP - Beach Sand Oak / Silver



ZIRCON - RANDOM EIR - 

 CCP - Mist Oak / Wheat



TEKTITE - EIR - 

 CCP - Mocca



AGATE - ANTIQUE WOOD - 

 CCP - Mocca



ONYX - RANDOM EIR - 

 CCP - Chestnut / Meva Oak

INTERNATIONAL CERTIFICATION



LAMINATE FLOORING

LAMINATE FLOORING

Laminate flooring is an affordable, durable, and low-maintenance alternative to hardwood. Manufactured from high-density wood fibres, it features an aluminium oxide wear layer for excellent resistance to scratches, impacts, stains, and UV fading.

Top 5 Reasons to Choose Laminate Flooring

Cost Effective: Enjoy the authentic look of real wood at a fraction of the cost.


Durable: Scratch, impact, and UV-resistant perfect for active households.

Low Maintenance: The stain-resistant surface makes wiping up spills and marks effortless.

Water Resistant: Advanced locking systems and moisture-resistant technologies help protect floors from everyday spills for up to 72 hours.

Quick Installation: Modern click-lock systems allow for fast, glue-free installation over most existing subfloors.

Advances in laminate technology have made today's floors almost indistinguishable from real wood. FINfloor offers embossed and Embossed-in-Register (EIR) finishes, with selected ranges featuring painted V-grooves for an authentic hardwood appearance.



PROJECT SHOWCASE

Parador Lumberjack Oak laminate flooring brings premium German-engineered performance and style to this luxury home, seamlessly flowing through the kitchen, lounge, dining areas, and bedrooms. With up to 48-hour water resistance, microscratch protection, antibacterial properties, and a low-swelling core, it's built for modern living.



Bella Neo

FREYZA (ABOVE)

VIVA finish
Sq.E BELLA with Viva finish that replicates the feel and texture of real wood and a square edge that creates a seamless flooring pattern with no visible plank lines

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1200 x 191 x 8mm
 Packaged: 2.292sqm - 10 pieces / box
 Coverage: 9 x 9 lin.m in length / width
 Expansion gap: 10/12mm
 Core: 8mm HDF. Core with an average board density > 860-880 kg/m³
 Fit for use grading: AC3/W31 – Moderate commercial / Heavy domestic
 Warranty: 15 years heavy domestic / 5 years moderate commercial use

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC3/W31
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 18%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2





VEGAS - VIVA FINISH - 

 CCP - White/Silver



ANEMON - VIVA FINISH - 

 CCP - Sand Oak



FREZYA - VIVA FINISH - 

 CCP - Mist Oak / Wheat



YUKA - VIVA FINISH - 

 CCP - Meva Oak / Mist Oak



GARDENIA - VIVA FINISH - 

 CCP - Mist Oak



DEFNE - VIVA FINISH - 

 CCP - Mocca / African Oak



TREND (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1200 x 191 x 8mm

Packaged: 1.83sqm - 8 pieces / box

Coverage: 10 x 12 lin.m in length / width

Expansion gap: 10/12mm

Core: 8mm HDF. Core with an average board density > 850-900 kg/m³

Fit for use grading: AC4/W32 – General commercial / Heavy domestic

Warranty: 20 years heavy domestic / 5 years general commercial use

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC4/W32
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 18%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2





MERIC - WOOD EMBOSSED - 

 CCP - Sand Stone




ILGAZ - WOOD EMBOSSED - 

 CCP - Mist Oak / Meva Oak



GALA OAK - WOOD EMBOSSED - 

 CCP - Washed Oak



TREND OAK - WOOD EMBOSSED - 

 CCP - Mist Oak



RHODES - WOOD EMBOSSED - 

 CCP - African Oak



LENA - WOOD EMBOSSED - 

 CCP - Sand Oak / Sand Stone



ARMONIA

LARGE

SORENTO (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1380 x 246 x 8mm
 Packaged: 2.376 sqm - 7 pieces / box

Coverage: 10 x12 lin.m in any direction
 Expansion gap: 10/12mm
 Core: 8mm HDF Core with an average board density > 850-900 kg/m³
 Fit for use grading: AC4/W32 – General commercial / Heavy domestic
 Warranty: 20 years heavy domestic / 5 years general commercial use

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC4/W32
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 18%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC1





TORINO - MOORLAND FINISH - 

 CCP - Mist Oak / Wheat



RAVELLO - MOORLAND FINISH - 

 CCP - Silver / Wheat





BARI - MOORLAND FINISH - 

 CCP - African Oak / Bronze



TOSCANA - MOORLAND FINISH - 

 CCP - Chestnut



SORENTO - MOORLAND FINISH - 

 CCP - Mist Oak / Sandstone



PADOVA - MOORLAND FINISH - 

 CCP - Mocca



PARADOR

OAK EVERGLADE NATURAL (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 2200 x 243 x 9 mm
 Packaged: 2.673 sqm - 5 pieces / box

Coverage / Expansion: Up to 12 x 8m
 Expansion gap: 10 –15mm
 Core: Aqua-Proof core board with edge impregnation for swell protection
 Fit for Use: Class 23 / Class 33 – Heavy Domestic / Commercial Use
 Warranty: Lifetime Residential / 10-Year Commercial
 Surface: Natural Matt finish

SafeLock® PRO click connection

SafeLock® PRO is a high-precision click system that locks planks together securely without glue, ensuring faster installation, tighter joints, long-term stability, and improved water resistance at the joints.

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN EN 438-2	AC5/W33 - V4
Stain resistance	ISO 24336	Category 1+2: Level 5 Category 3: Level 4/5
Swelling test	EN 13329	ISO 24336 – Average swelling ≤ 12%
Light fastness	EN ISO 4892-2	Grey Scale ≥ 4 (No significant discolouration)
Impact resistance	EN 17368/ EN 13329	(Small Ball): ≥ 70 mm / (Large Ball): ≥ 1000 mm





OAK SKYLINE PEARL-GREY - CHATEAU PLANK -   CCP - Sandstone




OAK CASTELL LIMED - CHATEAU PLANK -   CCP - Mist Oak




OAK LOFT PURE - CHATEAU PLANK -   CCP - Mist Oak / Washed Oak



OAK AVANT SANDED - CHATEAU PLANK -   CCP - Mist Oak



LUMBERJACK - CHATEAU PLANK -   CCP - Meva Oak



EVERGLADE - CHATEAU PLANK -   CCP - Chestnut/ Meva Oak



black forest+

OAKWOOD VILLA (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 2200 x 236 x 12mm
 Packaged: 2.596sqm - 5 pieces / box

Coverage: 20 x 20 lin.m in length / width
 Wxpansion gap: 12/15mm
 Core: Water-resistant Compact Core + with average board density > 950 kg/m³
 Fit for use grading: AC5/W33 – Heavy commercial / Heavy domestic
 Warranty: 30 years heavy domestic / 10 years heavy commercial use

Black Compact Core +
 Black HDF Compact Core + is 72 hours topically water resistant with a low 5% swell rate after full board immersion making these planks more resistant to moisture damage.

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC5/W33 - V4
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 5%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2



BLACK FOREST +



WYCH ELM - RANDOM EIR - 

 CCP - Meva Oak / Chestnut



WILD THORN - RANDOM EIR - 

 CCP - Meva Oak / Washed Oak




MAPLE MIST - EIR - 

 CCP - Mist Oak / Sandstone



IRISH PINE - RANDOM EIR - 

 CCP - Sandstone / Mist Oak



SUN KISSED OAK - RANDOM EIR - 

 CCP - Washed Oak / Meva Oak



OAKWOOD VILLA - EIR - 

 CCP - Chestnut / Bronze

AUTHENTIC

herringbone
click laminate flooring

SUN BLEACHED OAK (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 600 x 100 x 12mm

Packaged: 1.32sqm - 22 pieces / box, each box includes both A and B planks (not sold separately) and is suitable for floating or glue-down installation

Coverage: 12 x 12 lin.m in length / width

Expansion gap: 10/12mm

Core: 12mm HDF Core with an average board density > 880/890 kg/m³

Fit for use grading: AC4/W32 – General commercial / Heavy domestic

Warranty: 25 years heavy domestic / 5 years general commercial use

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC4/W32 - V4
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling < 10%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2



AUTHENTIC HERRINGBONE



SUN BLEACHED OAK - MATT WOOD GRAIN - **V4**






CCP - Meva Oak / Washed Oak








SUN BLEACHED OAK (ABOVE)

AUTHENTIC HERRINGBONE LAYING PATTERNS

Herringbone laying patterns



Basket weave laying patterns





USE OUR VISUALISER



DOWNLOAD BIM FILES

Head Office JOHANNESBURG
Unit 2b
11 Olympia Street
Sandton

Head Office DURBAN
14 Cassiafield Grove
Springfield Park
Durban

Head Office CAPE TOWN
Unit IP3, Industria Park
6 Industria Road, Brakenfell
Cape Town